

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Ann Marie Schmidt and David Stern

Serial No.: 09/166,649                      Group Art Unit: 1646

Filed : October 5, 1998                      Examiner: E. O'Hara

For : METHODS FOR DETERMINING WHETHER A COMPOUND IS  
CAPABLE OF INHIBITING THE INTERACTION OF A PEPTIDE  
WITH RAGE

#14  
7/2/2

1185 Avenue of the Americas  
New York, New York 10036

Assistant Commissioner for Patents  
Washington, D.C. 20231

DECLARATION UNDER 37 C.F.R. §1.132 OF ANN MARIE SCHMIDT

I, Ann Marie Schmidt, M.D., hereby declare that:

1. I am a co-inventor of the invention currently being claimed in the subject patent application.
2. I am also an Associate Professor, Division of Surgical Sciences, Department of Surgery and Medicine at Columbia University in New York, New York. A copy of my curriculum vitae is attached hereto as Exhibit 1.
3. I am familiar with United States Patent No. 5,364,018 ("018 patent") issued January 26, 1999 to Michael J. Morser et al. and entitled Antibodies to Advanced Glycosylation End-Product Receptor Polypeptides and Uses

Applicants : Ann Marie Schmidt and David Stern  
Serial No. : 09/166,649  
Filed : October 5, 1998  
Page 2

Thereof. The Detailed Description of the Invention at paragraph A of the '018 patent purports to be a screening method involving the incubation of a product with an advanced glycation endproduct (AGE) polypeptide in the presence of receptor for advanced glycation endproduct (RAGE), to determine whether the product will result in a decrease in the amount of AGE/RAGE complex formed.

4. I am also familiar with the Reddy et al. manuscript published August 29, 1995, entitled "N-(Carboxymethyl)lysine Is a Dominant Advanced Glycation End Product (AGE) Antigen in Tissue Proteins." The Reddy et al. manuscript suggested that a particular AGE, the CML-adduct, might be a dominant AGE found *in vivo*.
5. I reviewed the Reddy et al. manuscript and I understood that CML might be a dominant AGE adduct found *in vivo*.
6. Also, the common understanding in the field as of October 5, 1998, the earliest date priority of which is claimed in the present invention, was that AGEs are a heterogeneous group of compounds and that CML might be a dominant AGE found *in vivo*. Copies of scientific publications evidencing that this was the common

Applicants : Ann Marie Schmidt and David Stern  
Serial No. : 09/166,649  
Filed : October 5, 1998  
Page 3

understanding in the field as of October 5, 1998 are attached hereto as Exhibits 2-3. In addition, while this work gave a potentially quantitative assessment of the impact of this CML adduct *in vivo*, it provided no insight into the potential binding of CML to RAGE or the importance of the adduct biologically. Thus, even though prevalent *in vivo*, it was possible that CML adducts were biologically inert and not capable of modifying cellular properties. We felt that should AGEs be capable of engaging cell surface receptors such as RAGE, they may be biologically relevant even in very small quantities.

7. Accordingly, I directed and supervised experiments to make many AGE adducts in order to test for binding to RAGE. The results of these experiments demonstrated that two AGEs, pentosidine and methylglyoxal, did not bind RAGE while one AGE, the CML adduct, did bind RAGE.
8. The experiments referred to in paragraph 7 are referenced in the subject patent application at page 28, lines 17-20, and page 34, lines 4-5 which recite that "in order to determine which one(s) of known AGE structures interact with RAGE, we prepared a series of synthetic AGEs and tested their ability to interact with RAGE" and that "only CML-BSA bound sRAGE in a dose-dependent manner with  $K_{-76} \pm 3.7$  nM (similar to that observed with heterogeneous AGE binding to RAGE, 50-70 nM)." That the

Applicants : Ann Marie Schmidt and David Stern  
Serial No. : 09/166,649  
Filed : October 5, 1998  
Page 4

CML adduct of Reddy et al. might bind preferentially to RAGE was surprising because at the time, it was not known which of the series of synthetic AGEs might bind to RAGE.

9. Accordingly, it would not have been obvious to one of ordinary skill in the field as of August 14, 2000 that a specific AGE, the CML adduct, would preferentially bind RAGE, i.e. there was no reasonable expectation of success that the CML adduct would bind RAGE given that not all AGEs bind to RAGE.

I hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under § 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Date: 6/18/02

Ann Marie Schmidt

Ann Marie Schmidt, M.D.

American Society of Clinical Investigation  
Society for Neuroscience

### **RESEARCH AND/OR PROFESSIONAL EXPERIENCE**

Intern, Internal Medicine, New York University Medical Center, Bellevue Hospital Center, July, 1983 - June, 1984.

Resident, Internal Medicine, New York University Medical Center, Bellevue Hospital Center, July, 1984 - June, 1987.

Chief Resident, Internal Medicine, New York University Medical Center, Bellevue Hospital Center, July, 1987- June, 1988.

Fellow, Hematology, New York University Medical Center, Bellevue Hospital Center, July, 1988 - June, 1989.

Fellow, Medical Oncology, New York University Medical Center, Bellevue Hospital Center, July, 1989 - June, 1990.

Teaching Assistant, Internal Medicine, New York University School of Medicine, New York, New York, 1983-1990.

Post-Doctoral Research Fellow, Columbia University, Department of Physiology and Cellular Biophysics, Laboratory of Dr. David Stern, July, 1990 - June, 1993.

Assistant Professor, Columbia University, Department of Medicine, Division of Molecular Medicine, July, 1993 - November, 1998.

Assistant Professor, Columbia University, Department of Surgery, January 1995- November 1998.

Associate Professor, Division of Surgical Science, Departments of Surgery and Medicine, with tenure, December 1, 1998 - present.

### **COMMITTEE MEMBERSHIPS, MEETING CHAIRMANSHIPS, AND PLENARY SESSIONS:**

- 1996 Co-chairperson: Session on "Featured Research - Oxidant Signaling and Gene Regulation", American Heart Association, National Meeting, New Orleans, Louisiana
- 1997 Co-chairperson: Session on Diabetes and Endothelial Dysfunction, Satellite Symposium of Diabetes and Atherosclerosis, Lyon, France
- 1997 Co-chairperson: Session on "Animal Models of Disease/Diabetes," American Heart Association, National Meeting, Orlando, Florida
- 1998 Co-chairperson: Session on "Diabetic Complications," American Diabetes Association, 58th Scientific Sessions, Chicago, Illinois
- 1999 Co-chairperson: Session on "Macrophage Activation and Scavenger Receptor Biology,"

Keystone conference, Inflammatory Paradigms and the Vasculature, Santa Fe, New Mexico

- 1999 Rapporteur, Session on "Vascular permeability in diabetes," Endothelial Cell Function in Diabetes Mellitus, The Wellcome Trust Genome Campus, Hinxton, Cambridgeshire, United Kingdom
- 1999 Chairperson, Session on "Emerging Mechanisms of Diabetic Complications," American Diabetes Association, 59th Scientific Sessions, San Diego, California
- 1999 Co-chairperson, NIH/NIDCR-sponsored workshop on Diabetes and Oral Health, Washington, D.C.
- Session chair, NIH/NIDCR-sponsored workshop on Diabetes and Oral Health, "Diabetes and Wound Healing," Washington, D.C.
- 2000 Co-Chairperson, Session on "Mechanisms and Diabetes and Atherosclerosis," American Heart Association, National Meeting, New Orleans, Louisiana
- 2001 Co-Organizer, Physicians & Surgeons Biomedical Sciences Symposium, "Angiogenesis," Arden House, Harriman, New York, July, 2001 &
- Session chair: Tumor Biology, Key Roles for Angiogenesis and Lymphangiogenesis
- 2001 Session chair, 6th EASD/JDRF Oxford Workshop on Molecular and Genetic Aspects of the Vascular Complications of Diabetes, session on Mechanisms of Vascular Disease, Keble College, Oxford, UK, August, 2001
- 2001 Co-Organizer, "The Diabetes Summit: A New Patient Treatment Regimen in Cardiovascular Disease", Anaheim, California, November, 2001

### **EDITORIAL SERVICE**

- 1997 Associate (Guest) Editor, Journal of Gerontology
- 1998 Guest Editor, Investigative Ophthalmology and Visual Sciences

### **REVIEW COMMITTEES**

- 1997 National Institutes of Health/National Institute of Dental Research, ad hoc reviewer, Special Emphasis Panel
- 1997 Wellcome Trust, London, England
- 1997 NIH/DRG: National Institutes of Aging, ad hoc reviewer
- 1998 NIH/DRG: National Institutes of Aging, ad hoc reviewer
- 1998 Special Review, University of Washington Diabetes Endocrinology Research Center (DERC)

### New Investigator Awards

- 1998 Reviewer, National Institutes of Health, Request for Applications: "Pathogenesis and Therapy of Diabetic Complications"
- 1998 Endocrine Fellows Foundation, ad hoc reviewer
- 1999 Reviewer, Special Emphasis Panel, Program Project Grant, National Institute of Dental and Craniofacial Research
- 1999 Reviewer, Special Emphasis Panel, Program Project Grants, Mechanisms of Vascular Disease, National Heart, Lung and Blood Institute
- 1999 NIH/DRG: National Institutes of Aging, ad hoc reviewer
- 1999 Juvenile Diabetes Foundation International, ad hoc reviewer
- 1999 Reviewer, Special Emphasis Panel, National Institutes of Health, Request for Applications: "Pilot studies for new therapies for type 1 diabetes and its complications"
- 1999 Member, Vascular Biology I Study Section, American Heart Association
- 2000 Member, NIH/DRG National Institutes of Aging: Biology of Aging - B
- 2000 National Institutes of Dental and Craniofacial Research, ad hoc reviewer
- 2000 Member, NIH Advisory Committee, Use of FY2001 Balanced Budget Act Funds for Type 1 Diabetes Research
- 2000-2002 Member, Juvenile Diabetes Foundation International Medical Science Research Committee: Group III: Complications
- 2000 NIH/NIDDK/DRG: ad hoc reviewer
- 2001 Special Emphasis Panel (Chairperson), National Institute of Neurological Disorders and Stroke

## BIBLIOGRAPHY

### I. Peer-Reviewed.

1. Blum, R.H., Cooper, J., Schmidt, A.M., Ashinoff, R., Collins, A., Wernz, J.C., Speyer, J.L., Boyd, A., and Muggia, F.M. Cisplatin and Vinblastine chemotherapy for metastatic non-small cell carcinoma followed by radiation in patients with regional disease. *Cancer Treat. Rep.* 70:333-337, 1986.
2. Schmidt, A.M., Blum, R.H., Clayton, M., Speyer, J.L., Bottino, J., and Muggia, F.M.

Phase II trial of cyclophosphamide and cis-platinum for non-small cell bronchogenic carcinoma. *Am. J. Clin Oncol.* 7:725-727, 1984.

3. Schmidt, A.M., Vianna, M., Gerlach, M., Brett, J., Ryan, J., Kao, J., Esposito, C., Hegarty, H., Hurley, W., Clauss, M., Wang, F., Pan, Y.C., Tsang, T.C., and Stern, D. Isolation and characterization of binding proteins for advanced glycosylation endproducts from lung tissue which are present on the endothelial cell surface. *J. Biol. Chem.* 267:14987-14997, 1992.
4. Neeper, M., Schmidt, A.M., Brett, J., Yan, S.D., Wang, F., Pan, Y.C., Elliston, K., Stern, D., and Shaw, A. Cloning and expression of RAGE: a cell surface receptor for advanced glycosylation end products of proteins. *J. Biol. Chem.* 267: 14998-15004, 1992.
5. Shen, H., Clauss, M., Kao, J., Ryan, Schmidt, A.M., Tijburg, P., Border, L., and Stern, D. Characterization of vascular permeability factor/vascular endothelial growth factor receptors on mononuclear phagocytes. *Blood* 81:2767-2773, 1993.
6. Schmidt, A.M., Yan, S.D., Brett, J., Mora, R., and Stern, D. Regulation of mononuclear phagocyte migration by cell surface binding proteins for advanced glycosylation endproducts. *J. Clin. Invest.* 92:2155-2168, 1993.
7. Brett, J., Schmidt, A-M., Zou, Y-S., Yan, S-D., Weidman, E., Pinsky, D., Neeper, M., Przysiecki, M., Shaw, A., Migheli, A., and Stern, D. Tissue distribution of the receptor for advanced glycation endproducts (RAGE): expression in smooth muscle, cardiac myocytes, and neural tissue in addition to the vasculature. *Am. J. Pathol.* 143:1699-1712, 1993.
8. Schmidt, A-M., Mora, R., Cao, R., Yan, S-D., Brett, J., Ramakrishnan, R., Tsang, T-C., Simionescu M., and Stern, D. The endothelial cell binding site for advanced glycation endproducts consists of a complex: an integral membrane protein and a lactoferrin-like polypeptide. *J. Biol. Chem.* 269:9882-9888, 1994.
9. Yan, S-D., Schmidt A-M., Anderson, G., Zhang, J., Brett, J., Zou, Y-S., Pinsky, D., and Stern, D. Enhanced cellular oxidant stress by the interaction of advanced glycation endproducts with their receptors/binding proteins. *J. Biol. Chem.* 269:9889-9897, 1994.
10. Schmidt, A-M., Hasu, M., Popov, D., Zhang, J-H., Yan, S-D., Brett, J., Cao, R., Kuwabara, K., Costache, G., Simionescu, N., Simionescu, M., and Stern, D. The receptor for Advanced Glycation Endproducts (AGEs) has a central role in vessel wall interactions and gene activation in response to AGEs in the intravascular space. *PNAS(USA)* 91:8807-8811, 1994.
11. Wautier, J-L., M-P. Wautier, A-M. Schmidt, G. M. Anderson, C. Zoukourian, L. Capron, O. Chappey, S-D. Yan, J. Brett, P-J. Guillausseau, and D. Stern. Advanced glycation endproducts (AGEs) on the surface of diabetic red cells bind to the vessel wall via a specific receptor inducing oxidant stress in the vasculature: a link between surface-associated AGEs and diabetic complications. *PNAS(USA)* 91:7742-7746, 1994
12. Yan, S-D., X. Chen, A-M. Schmidt, J. Brett, G. Godman, C.W. Scott, C. Caputo, T. Frappier, S-H. Yen, and D. Stern. The presence of glycated tau in Alzheimer's disease: a mechanism for induction of oxidant stress. *PNAS(USA)* 91:7787-7791, 1994.



13. Kuwabara, K., D. Pinsky, A-M. Schmidt, C. Benedict, J. Brett, S. Ogawa, M. Broekman, A. Marcus, R. Sciacca, M. Michalak, F. Wang, Y-C. Pan, S. Grunfeld, S. Patton, T. Malinski, D. Stern, and J. Ryan. Calreticulin, an antithrombotic agent which binds vitamin K-dependent coagulation factors, stimulates endothelial nitric oxide production, and limits thrombosis in canine coronary arteries. *J. Biol. Chem.* 270:8179-8187, 1995.
14. Ritthaler, U., Y. Deng, Y. Zhang, J. Greten, M. Abel, J. Allenberg, G. Otto, H. Roth, A. Bierhaus, R. Ziegler, A-M. Schmidt, R. Waldherr, P. Wahl, D. Stern, and P. Nawroth. Expression of receptors for advanced glycation endproducts in peripheral occlusive vascular disease. *Am. J. Pathol.* 146: 688-694, 1995.
15. Schmidt, A-M., O. Hori, J. Chen, J.F. Li, J. Crandall, J. Zhang, R. Cao, S.D. Yan, J. Brett and D. Stern. Advanced glycation endproducts interacting with their endothelial receptor induce expression of vascular cell adhesion molecule-1 (VCAM-1): a potential mechanism for the accelerated vasculopathy of diabetes. *J. Clin. Invest.* 96:1395-1403, 1995.
16. Hori, O., J. Brett, T. Slattey, R. Cao, J. Zhang, J. Chen, M. Nagashima, D. Nitecki, J. Morser, D. Stern, A.M. Schmidt. The Receptor for Advanced Glycation Endproducts (RAGE) is a cellular binding site for amphotericin: mediation of neurite outgrowth and co-expression of RAGE and amphotericin in the developing nervous system. *J. Biol. Chem.* 270:25752-25761, 1995.
17. Abel, M., Ritthaler, U., Zhang, Y., Deng, Y., Schmidt, A.M., Greten, J., Sernau, T., Wahl, P., Andrassy, K., Ritz, E., Stern, D.M., and P. Nawroth. Expression of receptors for advanced glycosylated end products in renal disease. *Nephrology, Dialysis, Transplantation* 10:1662-1667, 1995.
18. Wautier, J-L., C. Zoukourian, O. Chappey, M-P. Wautier, P-J. Guillausseau, R. Cao, O. Hori, D. Stern, and A.M. Schmidt. Receptor-mediated endothelial cell dysfunction in diabetic vasculopathy: soluble receptor for advanced glycation endproducts blocks hyperpermeability. *J. Clin. Invest.* 97:238-243, 1996.
19. Schmidt, A.M., J. Crandall, R. Cao, O. Hori, and E. Lakatta. Elevated plasma levels of Vascular Cell Adhesion Molecule-1 (VCAM-1) in diabetic patients with microalbuminuria: a marker of vascular dysfunction and progressive vascular disease. *Brit. J. Hematol.* 92:747-750, 1996.
20. Schmidt, A.M., E. Weidman, E. Lalla, S.D. Yan, O. Hori, R. Cao, J. Brett, and I. Lamster. Advanced Glycation Endproducts induce oxidant stress in the gingiva: a potential mechanism underlying accelerated periodontal disease associated with diabetes. *J. Periodontal Res.* 31:508-515, 1996.
21. Spanier, T., Oz, M., Levin, H., Weinberg, A., Moazami, N., Roberts, J.K., Mohr, J.P., Stern, D., Rose, E., and A.M. Schmidt. Activation of coagulation and fibrinolytic pathways in patients with Left Ventricular Assist Devices. *J. Thoracic and Cardiovascular Surgery*, 112:1090-1097, 1996.
22. Miyata, T., O. Hori, J.H. Zhang, S.D. Yan, L. Ferran, Y. Iida, and A.M. Schmidt. The Receptor for Advanced Glycation Endproducts (RAGE) mediates the interaction of AGE- $\beta_2$ -Microglobulin with human mononuclear phagocytes via an oxidant-sensitive pathway:

- implications for the pathogenesis of dialysis-related amyloidosis. *J. Clin. Invest.* 98:1088-1094, 1996.
23. Greten, J., Kreis, I., Wiesel, K., Stier, E., Schmidt, A.M., Stern, D.M., Ritz, E., Waldherr, R., and Nawroth, P.P. Receptors for Advanced Glycation Endproducts (AGEs) - expression by endothelial cells in non-diabetic uraemic patients. *Nephrology, Dialysis, Transplantation.* 11:786-790, 1996.
  24. Yan, S.D., X. Chen, J. Fu, M. Chen, H. Zhu, A. Roher, T. Slattery, M. Nagashima, J. Morser, A. Migheli, P. Nawroth, G. Godman, D. Stern, and A.M. Schmidt. RAGE and amyloid- $\beta$  peptide neurotoxicity in Alzheimer's disease. *Nature* 382:685-691, 1996.
  25. Zoukourian, C., Wautier, M., Chappey, O., Dosquet, C., Rohban, T., Schmidt, A.M., Stern, D., and Wautier, J.L. Endothelial cell dysfunction secondary to the adhesion of diabetic erythrocytes. *International Andrology* 15:195-200, 1996.
  26. Yan, S-D., Zhu, H., Fu, J., Yan, S-F., Roher, A., Tourtellotte, W., Rajavashisth, T., Chen, X., Stern, D. and Schmidt, A-M. Amyloid-beta peptide-RAGE interaction elicits neuronal expression of M-CSF: a proinflammatory pathway in Alzheimer's disease. *Proc. Natl. Acad. Sci.* 94:5296-5301, 1997.
  27. Lander, H.L., Tauras, J.M., Ogiste, J.S., Moss, R.A., and A.M. Schmidt. Activation of the Receptor for Advanced Glycation Endproducts triggers a MAP Kinase pathway regulated by oxidant stress. *J. Biol. Chem.* 272:17810-17814, 1997.
  28. Li, J., and Schmidt, A.M. Characterization and functional analysis of the promoter of RAGE, the Receptor for Advanced Glycation Endproducts. *J. Biol. Chem.* 272:16498-16506, 1997.
  29. Renard, C., Chappey, O., Wautier, M.P., Nagashima, M., Lundh, E., Morser, J., Zhao, L., Schmidt, A.M., Scherrmann, J.M., and Wautier, J.L. Recombinant Advanced Glycation Endproduct Receptor pharmacokinetics in normal and diabetic rats. *Molecular Pharmacology* 52:54-62, 1997.
  30. Spanier, T., Oz, M.C., Minanov, O.P., Simantov, R., Kisiel, W., Stern, D.M., Rose, E.A., and Schmidt, A.M. Heparinless cardiopulmonary bypass using active-site blocked Factor IXa: a preliminary study on the dog. In press, *J. Cardiovascular & Thoracic Surgery*, 1997.
  31. Spanier, T., Oz, M., Minanov, O., Stern, D., Rose, E., and Schmidt, A.M. Active site-blocked Factor IXa: a novel selective anticoagulant for use in cardiopulmonary bypass. *Surgical Forum XLVIII*:259-261, 1997.
  32. Reckelhoff JF, Kanji V, Racusen LC, Schmidt AM, Yan SD, Morrow J, Roberts LJ II, Salahudeen AK. Vitamin E ameliorates enhanced renal lipid peroxidation and accumulation of F2-isoprostanes in aging kidneys. *Am. J. Physiol.* 274:R767-R774, 1998.
  33. Owen, W.F., Jr., Hou, F.F., Stuart, R.O., Kay, J., Boyce, J., Chertow, G.M., and Schmidt, A.M.  $\beta_2$ -Microglobulin modified with Advanced Glycation End Products modulates collagen synthesis by human fibroblasts. *Kidney International* 53:1365-1373, 1998.
  34. Lalla, E., Lamster, I.B., Feit, M., Huang, L., and Schmidt, A.M. A murine model of

accelerated periodontal disease in diabetes. *Journal of Periodontal Research* 33:387-399, 1998.

35. Hofmann, M.A., Kohl, B., Zumbach, M.S., Borcea, V., Bierhaus, A., Henkels, M., Amiral, J., Schmidt, A.M., Fiehn, W., Ziegler, R., Wahl, P., and Nawroth, P.P. Hyperhomocyst(e)inemia and endothelial dysfunction in IDDM. *Diabetes Care* 21:841-848, 1998.
36. Richardson, M., Schmidt, A.M., Graham, S.E., Achen, B., DeReske, M., and Russell, J.C. Vasculopathy and insulin resistance in the JCR:LA-cp rat. *Atherosclerosis* 138:135-146, 1998.
37. Park, L., Raman, K.G., Lee, K.J., Yan, L., Ferran, L.J., Chow, W.S., Stern, D., and Schmidt, A.M. Suppression of accelerated diabetic atherosclerosis by soluble Receptor for AGE (sRAGE). *Nature Medicine* 4:1025-1031, 1998.
38. Li, J., Qu, W., and A.M. Schmidt. Sp1 binding elements in the promoter of RAGE are essential for amphotericin-mediated gene expression in cultured neuroblastoma cells. *J. Biol. Chemistry* 273:30870-30878, 1998.
39. Mackic, J.B., Stins, M., McComb, J.G., Calero, M., Ghiso, J., Kim, K.S., Yan, S.D., Stern, D., Schmidt, A.M., Frangione, B., and Zlokovic, B.V. Human blood-brain barrier receptors for Alzheimer's amyloid- $\beta$ 1-40: asymmetrical binding, endocytosis, and transcytosis at the apical side of brain microvascular endothelial cell monolayer. *J. Clin. Invest.* 102:734-743, 1998.
40. Spanier, T.B., Chen, J.M., Oz, M.C., Edwards, N.M., Kisiel, W., Stern, D.M., Rose, E.A., and Schmidt, A.M. Selective anticoagulation with active site-blocked Factor Ixa suggests separate roles for intrinsic and extrinsic coagulation pathways in cardiopulmonary bypass. *J. Thoracic and Cardiovascular Surgery* 116:860-869, 1998.
41. Reckelhoff, J.F., Hennington, B.S., Kanji, V., Racusen, L.C., Schmidt, A.M., Yan, S.D., Morrow, J., Roberts, L.J., 2nd, and Salahudeen, A.K. Chronic aminoguanidine attenuates renal dysfunction and injury in aging rats. *American J. Hypertension* 12:492-508, 1999.
42. Sato, N., Hori, O., Yamaguchi, A., Lambert, J.C., Chartier-Harlin, M.C., Robinson, P.A., Delacourte, A., Schmidt, A.M., Furuyama, T., Imaizumi, K., Tohyama, M., and Takagi, T. A novel presenilin-2 splice variant in human Alzheimer's disease brain tissue. *J. Neurochemistry* 72:2498-2505, 1999.
43. Hofmann, M.A., Drury, S., Fu, C., Qu, W., Taguchi, A., Lu, Y., Avila, C., Kambham, N., Bierhaus, A., Nawroth, P., Neurath, M.F., Slattery, T., Beach, D., McClary, J., Nagashima, M., Morser, J., Stern, D., and Schmidt, A.M. RAGE mediates a novel proinflammatory axis: a central cell surface receptor for S100/calgranulin polypeptides. *Cell* 97:889-901, 1999.
44. Spanier, T.B., Chen, J.M., Oz, M.C., Stern, D.M., Rose, E.A., and Schmidt, A.M. Time-dependent cellular population of textured-surface left ventricular assist devices contributes to the development of a biphasic systemic procoagulant response. *J. Thorac. Cardiovasc. Surg.* 118:404-413, 1999.

45. Choudhri, T.F., Hoh, B.L., Prestigiacomo, C.J., Huang, J., Kim, L.J., Schmidt, A.M., Kiesel, W., Connolly, E.S. Jr., and Pinsky, D.J. Targeted inhibition of intrinsic coagulation limits cerebral injury in stroke without increasing intracerebral hemorrhage. *J. Exp. Med.* 190:91-99, 1999.
46. Kislinger, T., Fu, C., Huber, B., Qu, W., Taguchi, A., Yan, S.D., Hofmann, M., Yan, S.F., Pischetsrieder, M., Stern, D., and Schmidt, A.M. N<sup>ε</sup> (carboxymethyl)lysine modifications of proteins are ligands for RAGE that activate cell signalling pathways and modulate gene expression. *J. Biol. Chemistry* 274: 31740-31749, 1999.
47. Bonnardel-Phu, E., Wautier, J.L., Schmidt, A.M., Avila, C., and Vicaute, E. Acute modulation of albumin microvascular leakage by Advanced Glycation Endproducts in microcirculation of diabetic rats in vivo. *Diabetes* 48:2052-2058, 1999.
48. Barile, G.R., Chang, S.S., Park, L.S., Reppucci, V.S., Schiff, W.M., and Schmidt, A.M. Soluble cellular adhesion molecules in proliferative vitreoretinopathy and proliferative diabetic retinopathy. *Current Eye Research* 19: 219-227, 1999.
49. Lalla, E., Lamster, I.B., Feit, M., Huang, L., Spessot, A., Qu, W., Kislinger, T., Lu, Y., Stern, D.M., and Schmidt, A.M. Blockade of RAGE suppresses periodontitis-associated alveolar bone loss in diabetic mice. *J. Clin. Invest.* 105:1117-1124, 2000.
50. Tanji, N., Markowitz, G.S., Fu, C., Kislinger, T., Taguchi, A., Pischetsrieder, M., Stern, D., Schmidt, A.M., and D'Agati, V.D. The expression of Advanced Glycation Endproducts and their cellular receptor RAGE in diabetic nephropathy and non-diabetic renal disease. *J. American Soc. Nephrol.* 11:1656-1666, 2000.
51. Taguchi, A., Blood, D.C., del Toro, G., Canet, A., Lee, D.C., Qu, W., Tanji, N., Lu, Y., Lalla, E., Fu, C., Hofmann, M.A., Kislingler, T., Ingram, M., Lu, A., Tanaka, H., Hori, O., Ogawa, S., Stern, D.M., and Schmidt, A.M. Blockade of amphoterin/RAGE signalling suppresses tumor growth and metastases. *Nature* 405:354-360, 2000.
52. Yan, S.D., Zhu, H., Zhu, A., Golabek, A., Du, H., Roher, A., Yu, J., Soto, C., Schmidt, A.M., Stern, D., and Kindy, M. Receptor-dependent cell stress and amyloid accumulation in systemic amyloidosis. *Nature Medicine* 6:643-651, 2000.
53. Giri, R., Shen, Y., Stins, M., Du Yan, S., Schmidt, A.M., Stern, D., Kim, K.S., Zlokovic, B., and Kalra, V.K. Beta-amyloid-induced migration of monocytes across human brain endothelial cells involves RAGE and PECAM-1. *Am. J. Physiol. Cell Physiol.* 279:C1772-1781, 2000.
54. Hofmann, M.A., Lalla, E., Lu, Y., Ryu Gleason, M., Wolf, B.M., Tanji, N., Ferran, L.J., Jr., Kohl, B., Rao, V., Kiesel, W., Stern, D.M., and Schmidt, A.M. Hyperhomocysteinemia enhances vascular inflammation and accelerates atherosclerosis in a murine model. *J. Clin. Invest.* 107:675-683, 2001.
55. Wautier, M.P., Chappey, O., Corda, S., Stern, D.M., Schmidt, A.M., and Wautier, J.L. Activation of NADPH Oxidase by Advanced Glycation Endproducts (AGEs) links oxidant stress to altered gene expression via RAGE. *American Journal of Physiology: Endocrinology & Metabolism* 280: E685-E694, 2001.

56. Kislinger, T., Tanji, N., Wendt, T., Qu, W., Lu, Y., Ferran, L.J., Jr., Taguchi, A., Olson, K., Bucciarelli, L., Goova, M., Hofmann, M.A., Cataldegirmen, G., D'Agati, V., Pischetsrieder, M., Stern, D.M., and Schmidt, A.M. RAGE mediates inflammation and enhanced expression of tissue factor in the vasculature of diabetic apolipoprotein E null mice. *Arteriosclerosis, Thrombosis and Vascular Biology* 21:905-910, 2001.
57. Hou, F.F., Miyata, T., Boyce, J., Yuan, O., Chertow, G.M., Kay, J., Schmidt, A.M., and Owen, W.F. Beta<sub>2</sub>-microglobulin modified with advanced glycation endproducts delays monocyte apoptosis. *Kidney International* 59:990-1002, 2001.
58. Goova, M.T., Li, J., Kislinger, T., Qu, W., Lu, Y., Bucciarelli, L.G., Nowygrod, S., Wolf, B.M., Caliste, X., Yan, S.F., Stern, D.M., and Schmidt, A.M. Blockade of Receptor for AGE (RAGE) restores effective wound healing in diabetic mice. *American Journal of Pathology* 159:513-525, 2001.
59. Lue, L.F., Walker, D., Brachova, L., Beach, T.G., Rogers, L., Schmidt, A.M., Stern, D.M., and Yan, S.D. Involvement of RAGE-microglia interactions in Alzheimer's disease: in vivo and in vitro studies. *Experimental Neurology* 171:29-45, 2001.
60. Bierhaus, A., Schiekofer, S., M. Schwaninger, Andrassy, M., Humpert, P.M., Chen, J., Hong, M., Luther, T., Henle, T., Kloting, I., Morcos, M., Hofmann, M., Tritschler, H., Weigle, B., Kasper, M., Smith, M., Perry, G., Schmidt, A.M., Stern, D.M., Haring, H.U., Schleicher, E., and Nawroth, P.P. Diabetes-associated sustained activation of the transcription factor Nuclear Factor-kappa B. *Diabetes* 50:2792-2808, 2001.
61. Basta, G., Lazzerini, G., Massaro, M., Simoncini, T., Tanganelli, P., Fu, C., Kislinger, T., Stern, D.M., Schmidt, A.M., and De Caterina, R. Advanced Glycation Endproducts (AGEs) activate endothelium via RAGE; a mechanism for amplification of inflammatory responses. *Circulation* 105:816-822, 2002.
62. Huang, E.H., Carter, J.J., Whelan, R.L., Liu, Y.H., Rosenberg, J.O., Rotterdam, H., Schmidt, A.M., Stern, D.M., and Forde, K.A. Colonoscopy in mice. *Surgical Endoscopy* 16:22-24, 2002.
63. Hofmann, M.A., Drury, S., Hudson, B.I., Gleason, M.R., Qu, W., Lu, Y., Lalla, E., Chitnis, S., Monteiro, J., Stickland, M.H., Bucciarelli, L.G., Moser, B., Moxley, G., Itescu, S., Grant, P.J., Gregersen, P.K., Stern, D.M., and Schmidt, A.M. RAGE and arthritis: The G82S polymorphism amplifies the inflammatory response. In press, *Genes and Immunity*, 2002.
64. Collison, K.S., Parhar, R.S., Saleh, S.S., Meyer, B.F., Kwaasi, A.A., Hammami, M.M., Schmidt, A.M., Stern, D.M., and Al-Mohanna, F.A. RAGE-mediated neutrophil dysfunction is evoked by advanced glycation endproducts. *Journal of Leukocyte Biology* 71:433-444, 2002.
65. Hou, F.F., Jiang, J.P., Guo, J.Q., Wang, G.B., Zhang, X., Stern, D.M., Schmidt, A.M., and Owen, W.F., Jr. Receptor for Advanced Glycation Endproducts on human synovial fibroblasts: role in the pathogenesis of dialysis-related amyloidosis. *Journal of the American Society of Nephrology* 13:1296-1306, 2002.

## II. Invited Articles/Chapters

1. Schmidt, A-M., Esposito, C., Brett, J., Ogawa, S., Clauss, M., Kirstein, M., Radoff, S., Vlassara, H., and Stern, D. Modulation of endothelial function and endothelial-monocyte interaction by advanced glycosylated end products of proteins. In Mononuclear Phagocytes, Ed. R. van Furth, Kluwer Academic Publishers (Dordrecht) pp. 202-207 1992.
2. Schmidt, A-M., and Stern, D. Cellular receptors for advanced glycation endproducts. Proceedings of the 5th International Symposium on the Maillard Reaction. In press, 1995.
3. Schmidt, A-M., Hori, O., Brett, J., Yan, S-D., Wautier, S-D., and Stern, D. Cellular receptors for advanced glycation endproducts: implications for induction of oxidant stress and cellular dysfunction in the pathogenesis of vascular lesions. *Arterioscl. and Thromb.* 14:1521-1528, 1994.
4. Hori, O., Yan, S-D., Ogawa, S., Matsumoto, M., Stern, D., and Schmidt, A-M. Role of cellular receptors for advanced glycation endproducts: from atherosclerosis to Alzheimer's Disease. In, Proceedings of the International Symposium of Aging and Health (Nagoya, Japan, 1994, p. 152-154).
5. Schmidt, A.M., SD Yan, and D. Stern. The Dark Side of Glucose (News and Views). *Nature Medicine* 1:1002-1004, 1995.
6. Schmidt, A.M., O. Hori, SD Yan, and D. Stern. Advanced glycation endproducts interacting with their cellular receptor induce oxidant stress: implications for the pathogenesis of vascular disease in aging and diabetes. In Coronary Restenosis: From Genetics to Therapeutics, Ed. G. Feuerstein. Marcel Dekker, New York, p. 85-98, 1996.
7. Schmidt AM, O. Hori, R. Cao, SD Yan, J. Brett, J.L. Wautier, S. Ogawa, K. Kuwabara, M. Matsumoto, and D. Stern. RAGE: a novel cellular receptor for Advanced Glycation Endproducts. In, Proceedings of the 15th International Diabetes Foundation Satellite Symposium on "Diabetes and Macrovascular Complications. *Diabetes* 45(Supplement 3): S77-S80, 1996.
8. Hori, O., SD Yan, and A.M. Schmidt. The Receptor for Advanced Glycation Endproducts: implications for the development of diabetic vascular disease. In Endothelium in Clinical Practice, Ed. G. Rubanyi. In press, 1996.
9. Schmidt, A-M., Pinsky, D., Kao, J., Yan, S-D., Ogawa, S., Wautier, J-L., and Stern, D. Environmental perturbations of endothelium: modulation of vascular properties by hypoxia, by hyperglycemia and by tumor-derived cytokines. In Vascular Control of Hemostasis (ed. V. van Hinsbergh); part of series Advances in Vascular Biology (eds. M. Vadas and H. Harlan). Gordon and Breach Science Publishers PTY LTD, Victoria, Australia, p. 257-279, 1996.
10. Yan SD, Stern D and AM Schmidt. What's the RAGE? *European J. Clinical Investigation* 27:179-181, 1997.
11. Salahudeen AK, Kanji V, Reckelhoff JF and AM Schmidt. Pathogenesis of diabetic nephropathy: a radical approach. *Nephrology, Dialysis and Transplantation* 12:664-668,

1997.

12. Schmidt, AM, Wautier JL, Stern D, and Yan SD. RAGE: A Receptor with a taste for multiple ligands and varied pathophysiologic states. In Hormones and Signalling, Volume I, Academic Press, p. 41-63, 1997.
13. Lalla, E., Lamster, IB, and AM Schmidt. Enhanced interaction of Advanced Glycation Endproducts with their cellular receptor RAGE: implications for the pathogenesis of accelerated periodontal disease in diabetes. In press, *Journal of Periodontology*, 1998.
14. Cines, D.B., Pollak, E.S., Buck, C.A., Loscalzo, J., Zimmerman, G.A., McEver, R.P., Pober, J.S., Wick, T.M., Konkle, B.A., Schwartz, B.S., Barnathan, E.S., McCrae, K.R., Hug, B.A., Schmidt, A.M. and Stern, D.M. Endothelial cells in physiology and in the pathophysiology of vascular disorders. *Blood* 91:3527-3561, 1998.
15. Schmidt, A.M., Pinsky, D., Lawson, C., Tijburg, P., and Stern, D. Interaction of coagulation proteins with the vessel wall. Thrombosis and Hemorrhage. Editors: Loscalzo, J., and Schafer, J., Williams and Wilkins, Chapter 17, pp. 365-371, 1998.
16. Schmidt, A.M. The receptor for advanced glycation endproducts, present on certain target cells in diabetes, is implicated in the pathogenesis of of diabetic complications. *Internal Medicine: Clinical and Laboratory* 6:73-79, 1998.
17. Spanier, T.B., and Schmidt, A.M. Endothelial cell injury. In Minimally Invasive Cardiac Surgery, Humana Press, p. 31-42, 1999.
18. Schmidt, A.M., Yan, S.D., Wautier, J.L., and Stern, D. Activation of receptor for advanced glycation end products: a mechanisms for chronic vascular dysfunction in diabetic vasculopathy and atherosclerosis. *Circulation Research* 84:489-497, 1999.
19. Yan, S.D., Roher, A., Chaney, M., Zlokovic, B., Stern, D., and Schmidt, A.M. Cellular cofactors potentiating induction of stress and cytotoxicity by amyloid-beta peptide. In press, *Biochim. Biophys. Acta*, 1999.
20. Schmidt, A.M., Rose, E., and Stern, D. Cardiopulmonary bypass: to clot or not to clot, that is the problem. *J. Thoracic and Cardiovasc. Surgery* 118:429-431, 1999.
21. Yan, S.D., Roher, A., Schmidt, A.M., and Stern, D. Cellular cofactors for amyloid-beta peptide induced cell stress: moving from cell culture to in vivo. In press, *American J. Pathology*, 1999.
22. Schmidt, A.M., and Stern, D.M. Emerging therapeutic targets in diabetic vascular disease. *Emerging Therapeutic Targets* 3:483-493, 1999.
23. Yan, S.D., Roher, A., Schmidt, A.M., and Stern, D.M. Cellular cofactors for amyloid-beta peptide-induced cell stress: moving from cell culture to in vivo. *Am. J. Pathology* 155: 1403-1411, 1999.
24. Schmidt, A.M., Hofmann, M., Taguchi, A., Yan, SD, and Stern, D. RAGE: a multiligand receptor contributing to the cellular response in diabetic vasculopathy and inflammation. *Seminars in Thrombosis & Hemostasis* 26: 485-494, 2000.

25. Lalla, E., Lamster, I.B., Drury, S., Fu, C., and Schmidt, A.M. Hyperglycemia, glycoxidation, and receptor for advanced glycation endproducts: potential mechanisms underlying diabetic complications, including diabetes-associated periodontitis. *Periodontology* 2000: 23:50-62, 2000.
26. Schmidt, A.M., and Stern, D. Atherosclerosis and diabetes: the RAGE connection. *Current Atherosclerosis Reports* 2:430-436, 2000.
27. Schmidt, A.M., and Stern, D.M. RAGE: a new target for the prevention and treatment of the vascular and inflammatory complications of diabetes. *Trends in Endocrinology and Metabolism* 11: 368-374, 2000.
28. Schmidt, A.M., and Stern, D.M. A radical approach to the pathogenesis of diabetic complications. *Trends in Pharmacological Sciences* 21:367-369, 2000.
29. Schmidt, A.M., Yan, S.D., Yan, S.F., and Stern, D.M. The biology of the receptor for advanced glycation end products and its ligands. *Biochimica et Biophysica Acta* 14671: 1-13, 2000.
30. Schmidt, A.M., and Stern, D.M. Hyperinsulinemia and vascular dysfunction: the role of NF- $\kappa$ B, yet again. *Circulation Research* 87: 722-724, 2000.
31. Schmidt, A.M., and Stern, D.M. Chemokines on the rise: MCP-1 and restenosis. *Arteriosclerosis, Thrombosis and Vascular Biology* 21:297-299, 2001.
32. Yan, S.D., Roher, A., Soto, C., Al-Mohanna, F., Collison, K., Schmidt, A.M., and Stern, D. Cellular targets for amyloid-beta peptide: potential roles in neuronal cell stress and toxicity. *Neurobiology of Alzheimer's diseases*, second edition, editors: Dawbarn, D., and Allen, S. In the *Molecular and Cellular Neurobiology Series*; Series Advisors, Davies, R., Collingridge, G., and Hunt, S. pp. 252-269. Oxford University Press, 2001.
33. Wyss-Coray, T., McConlogue, L., Kindy, M., Schmidt, A.M., Yan, S.D., and Stern, D. Key signalling pathways regulate amyloid-beta peptide biological activities and accumulation. *Neurobiology of Aging* 22:967-973, 2001.
34. Yan, S.D., Schmidt, A.M., and Stern, D. Alzheimer's disease: inside, outside, upside down. *Biochemical Society Symposium* 67:15-22, 2001. Symposium volume title: *Neuronal Signal Transduction and Alzheimer's Disease*. Edited by C.O'Neill and B. Anderton. Published by the Biochemical Society, London.
35. Yan, S.D., Schmidt, A.M., and Stern, D.M. Alzheimer's disease: inside, outside, upside down. *Biochem Soc Symp* 67:15-22, 2001.
36. Schmidt, A.M., and Stern, D.M. Receptor for AGE (RAGE) is a gene within the major histocompatibility class III region: implications for host response mechanisms in homeostasis and chronic disease. *Frontiers in Bioscience* 6D1151-D1160, 2001.
37. Schmidt, A.M., Yan, S.D., Yan, S.F., and Stern, D.M. The multiligand receptor RAGE as a progression factor amplifying immune and inflammatory responses. *J. Clin. Invest.* 108:949-955, 2001.



38. Lalla, E., Lamster, I.B., Stern, D.M., and Schmidt, A.M. Receptor for Advanced Glycation Endproducts, inflammation, and accelerated periodontal disease in diabetes: mechanisms and insights into therapeutic modalities. *Annals of Periodontology* 6: 113-118, 2001.
39. Wendt, T., Bucciarelli, L., Qu, W., Lu, Y., Yan, S.F., Stern, D.M., and Schmidt, A.M. Receptor for Advanced Glycation Endproducts (RAGE) and vascular inflammation: insights into the pathogenesis of macrovascular complications in diabetes. *Current Atherosclerosis Reports* 4f:228-237, 2002.

### **III. Abstracts**

1. Schmidt, A.M., Clauss, M., Yan, S.D., Esposito, C., Brett, J., Kirsten, M., Radoff, S., Vlassara, H., and Stern, D. Modulation of endothelial cell hemostatic properties by advanced glycosylation endproducts of proteins. *Thromb. Haemost.* 65:869 (#609), 1991.
2. Neeper, M., Schmidt, A.M., Wang, F., Pan, Y.C., Stern, D., and Shaw, A. Cloning and expression of the 40 kilodalton cell surface receptor for advanced glycosylation end products (RAGE40): its role in mediating AGE-cellular interactions. *Circ (Suppl.)* 84:0457, 1991.
3. Schmidt, A.M., Brett, J., Yan, S.D., Silverstein, S.C., and Stern, D. Regulation of human monocyte migration by cell surface receptors for advanced glycosylation end products. *Circ (Suppl.)* 84:0456, 1991.
4. Wautier, J.L., Wautier, M.P., Schmidt, A.M., Yan, S.D., Mora, R., Brett, J., and Stern, D. The 40 kilodalton endothelial cell surface receptor for advanced glycosylation endproducts is an adhesion molecule for diabetic erythrocytes. *Blood* 78 (Suppl. 1): 341, 1991.
5. Tsang, T., Burns, D., Wang, F., Pan, Y.C., Schmidt, A.M., and Stern, D. Cloning of an 80 kDa advanced glycosylation endproduct binding protein isolated from bovine lung. *FASEB J.* (#1): 1341, 1991.
6. Mora, R., Schmidt, A.M., Brett, J., Yan, SD, and Stern, D., An unique 35 kDa membrane protein and a soluble lactoferrin-like protein form a complex which constitutes the endothelial cell receptor for advanced glycosylation endproducts. *FASEB J.* 6 (#5):A1593(#3801), 1992
7. Schmidt, A.M., Yan, S.D., Brett, J., Mora, R., Neeper, M., Shaw, A., and Stern, D. A cellular receptor for advanced glycosylation endproducts of proteins: potential role in endothelial and monocyte dysfunction. *Zimmerman Conference, Progress in Vascular Biology, Hemostasis and Thrombosis*, p. 27., 1992.
8. Yan, S.D., Schmidt, A.M., Brett, J., Hurley, W., Tsang, T, and Stern, D. Interaction of advanced glycosylation endproducts of proteins with lactoferrin on the cell surface or in solution enhances generation of oxygen free radicals: a mechanism for peroxidation of lipids on the cell surface and in the matrix. *Clinical Res.*, 40:193A, 1992.
9. Schmidt, A.M., Mora, R., Brett, J., Ryan, J., Kuwabara, K., and Stern, D. Soluble receptor for advanced glycosylation endproducts inhibits the interaction of AGE albumin with receptors. *Clinical Res.* 40:292A, 1992.

10. Brett, J., Schmidt, A.M., Yan, S.D., Neeper, M., Shaw, A., Nowygrod, R., and Stern, D. Expression of receptor for advanced glycosylation endproducts on mononuclear phagocytes and endothelial cells in vivo: increased expression in the microvasculature. *Circ.* 86: (Suppl 1): 1889, 1992.
11. Schmidt, A.M., Brett, J., Macaulay, A., Rosolowsky, M., Shaw, A., and Stern, D. The receptor for advanced glycosylation endproducts has a central role in clearance, tissue deposition, and gene activation in response to infused advanced glycosylation endproducts. *Circ.* 86 (Suppl. 1):1890, 1992.
12. Libuttie, S., Schmidt, A.M., Williams, M., Bass, L., Oz, M., Wider, T., Stern, D., and Nowygrod, R. A model of diabetic wound healing: glycated proteins decrease the reparative response to wounding in normal animals. *Am. College of Surgeons*, 1992.
13. Wautier, J.L., Wautier, M.P., Schmidt, A.M., Capron, L., Zoukouvian, C., Yan, S.D., Mora, R., Brett, J., and Stern, D. The role of advanced glycation endproducts in the interaction of diabetic red cells with the vessel wall. *Proceedings of VII International Symposium on the Biology of Vascular Cells*, p45, 1992.
14. Schmidt, A.M., Anderson, M., Koga, S., Brett, J., Bierhaus, A., Nawroth, P., Nowygrod, R., and Stern, D. Receptor-mediated activation of mononuclear phagocytes by advanced glycation endproducts of proteins involves activation of NF-kB. *Blood* 90 (Suppl. 1):403, 1992.
15. Schmidt, A.M., Yan, S.D., Mora, R., Brett, J., and Stern, D. Cellular receptors for advanced glycation endproducts: implications for endothelial and monocyte dysfunction. *Proceedings of the VII international Symposium on the Biology of Vascular Cells*, p. 47, 1992.
16. Schmidt, A.M., Yan, S.D., Zou, S.D., Brett, J., and Stern, D. Advanced glycation endproducts: a mechanism for age-dependent perturbation of monocyte and endothelial cell function. *Keystone Symposium on Molecular Biology of Aging*, 1992.
17. Yan, S.D., Schmidt, A.M., Anderson, M., Brett, J., and Stern, D. Advanced glycation endproducts exert an oxidant stress on cells/tissues via interaction with their cellular receptors. *FASEB J.* 7:2843, 1992.
18. Schmidt, A.M., Yan, S.D., Brett, J., Lyn, S., and Stern, D. Advanced glycation endproducts: a mechanism for age-dependent perturbation of endothelial cell function. *European J. of Cell Biol.* 60 (Suppl. 37):206, 1993.
19. Yan, S.D., Schmidt, A.M., Brett, J., Greene, L., Migheli, A., Anderson, M., and Stern, D. The receptor for advanced glycation endproducts is present in neural tissue and PC12 cells, providing a mechanism for AGE-induced oxidant stress in neural tissue. *Clin. Res.* 41:190A, 1993.
20. Schmidt, A.M., Brett, J., Yan, S.D., and Stern, D. The receptor for advanced glycation endproducts is present in vascular smooth muscle cells and mediates cellular proliferation. *Clin. Res.* 41:389A, 1993.
21. Yan, S.D., Schmidt, A.M., Chen, X., Zou, Y.S., Brett, J., Greene, L., and Stern, D. Increased levels of advanced glycation endproducts and their receptor in Alzheimer's brain

tissue: a mechanism for the induction of an oxidative stress. Clin. Res. 41:395A, 1993.

22. Schmidt, A.M., Yan, S.D., Brett, J., and Stern, D. Advanced glycation endproducts: a mechanism for age-dependent vascular dysfunction. XXXII Congress of the International Union of Physiological Sciences Abstract Book, p. 143, (#267.3/0), 1993.
23. Schmidt, A.M., Yan, S.D., Brett, J., Nowygrod, R., and Stern, D. Cellular receptors for advanced glycation endproducts: potential roles in endothelial cell and monocyte dysfunction. Proceedings of the Vth International Symposium on the Maillard Reaction: #37, 1993.
24. Hasu D, Popov D, Costache G, Simionescu N, Schmidt A-M, Stern D, and Simionescu M. The uptake of irreversible glycated albumin by murine heart capillary endothelium. 22nd Meeting of the Federation of the European Biochemical Societies. Abstract book p. 140, 1993.
25. Popov D, Hasu M, Hillebrand A, Costache G, Schmidt A-M, Simionescu N, Stern D, and Simionescu M. The receptors for AGE proteins are involved in the interaction of AGE albumin with lung capillary endothelium. 22nd Meeting of the Federation of the European Biochemical Societies. Abstract book p. 141, 1993.
26. Yan S-D, Chen X, Schmidt A-M, Brett J, Caputo C, Scott C, Yen S-H, and Stern D. Nonenzymatic glycation of tau in neurofibrillary tangles of Alzheimer's disease: a mechanism for aggregation and neurotoxicity. Neurology 44 (Suppl 2):960S, 1994.
27. Schmidt A-M, Zhang JH, Crandall J, Cao R, Yan S-D, Brett J, and Stern D. Interaction of advanced glycation endproducts with their endothelial cell receptor leads to enhanced expression of VCAM-1: a mechanism for augmented monocyte-vessel wall interactions in diabetes. FASEB J. 8 (part II):A662 (3841), 1994.
28. Wautier J-L, Schmidt A-M, Zoukourian C, Chappey O, Wautier M, Hori O, and Stern D. Diabetic erythrocytes bearing cell surface advanced glycation endproducts interact with the receptor for advanced glycation endproducts to induce oxidant stress in endothelium and increase vascular permeability. Circ. 90 (part 2):#3105, 1994.
29. Schmidt A-M, Yan S-D, Hori O, Stern D, and Miyata T. The monocyte interaction site of glucose-modified  $\beta_2$ -microglobulin is the receptor for advanced glycation endproducts. Circ.90 (part 2):#1251, 1994.
30. Friedman J, Pauly R, Stern D, Schmidt A-M, Monticone R, and Crow M. Advanced glycation endproducts activate the expression of monocyte and smooth muscle cell chemoattractants by vascular smooth muscle cells. Circ.90 (part 2):#1567, 1994.
31. Schmidt, A-M, Hori O, Yan S-D, Cao R, Ogawa S, Matsumoto M, Zoukourian C, Chappey O, Wautier M-P, Wautier J-L, and Stern D. Cellular receptors for advanced glycation endproducts. Intl. Diabetes Meeting. Published in meeting proceedings, 1994.
32. Bhattacharya J, Minamiya Y, Schmidt A, Stern D, Ying X. Receptor-mediated increased lung capillary hydraulic conductivity by advanced glycation endproducts. In press, Microcirculation, 1995.
33. Bhattacharya J, Minamiya Y, Schmidt A, Stern D, Ying X. The receptor for advanced glycation endproducts (RAGE) mediates increased lung capillary hydraulic conductivity of

diabetic rats. FASEB 9 (Part I): #2408, 1995.

34. Hori O, Cao R, Brett J, Stern D, and Schmidt A-M. The receptor for advanced glycation endproducts interactions with amphotericin in the developing nervous system to promote neurite outgrowth. FASEB 9 (Part I): #2212, 1995.
35. Schmidt A-M, Hori O, Cao R, Brett J, Pauly R, Crow M, and Stern D. Receptor for advanced glycation endproducts: modulation of vascular homeostatic properties in diabetic vessels. Euroconference on red cell-endothelial interactions. Abstract booklet, 1994.
36. Zoukourian C, Chappey O, Schmidt A-M, Wautier M-P, Hori O, Capron L, Stern D, and Wautier J-L. Consequences on vascular functions of erythrocyte-endothelial cell interactions in diabetic rats. Euroconference on red cell-endothelial interactions. Published in Proceedings of meeting, 1994.
37. Miyata T, Maeda K, Hori O, Stern D, and Schmidt A-M. Monocyte interactions of nonenzymatically glycated  $\beta_2$ -microglobulin are mediated by the receptor for advanced glycation endproducts. Submitted, 1995.
38. Popov D, Hasu M, Schmidt A-M, Hori O, Simionescu N, and Simionescu M. Uptake and transport of advanced glycation endproduct (AGE) albumin by endothelial cells: role of the receptor for AGEs (RAGE). Submitted, 1995.
39. Schmidt A-M, Crandall J, Hori O, Cao R, Stern D. Elevated plasma levels of vascular cell adhesion molecule-1 are a marker of vascular dysfunction in diabetic patients with microalbuminuria. Clin. Res. #307A, 1995.
40. Wautier, J-L, Zoukourian C, Chappey O, Wautier M-P, Guillausseau P, Cao R, Hori O, Stern D, and Schmidt A-M. Receptor-mediated endothelial cell dysfunction in diabetic vasculopathy: soluble receptor for advanced glycation endproducts blocks hyperpermeability. Clin. Res. #215A, 1995.
41. Lander, H., J. Ogiste, R. Moss, D. Stern, and AM Schmidt. Advanced Glycation Endproducts (AGEs) induce activation of nuclear factor-kB (NF-kB) by a signalling mechanism involving p21<sup>ras</sup> and MAP kinase via the Receptor for AGEs (RAGE). Circ. 92 (8):#532, 1995.
42. Wautier, J-L, O. Chappey, M-P Wautier, C. Zoukourian, D. Weil, D. Stern, and A.M. Schmidt. Diabetic vasculopathy: central role of oxidant stress in diabetic vascular hyperpermeability. Circ. 92 (8):#1093, 1995.
43. Schmidt, A.M., O. Hori, J. Zhang, R. Cao, S-D Yan, M. Nagashima, N. Guences, G. Fuller, J. Morser, and D. Stern. Receptor-dependent hyperfibrinogenemia in diabetic mice: reversal by blockade of the Receptor for Advanced Glycation Endproducts. Circ. 92 (8):3333, 1995.
45. Wautier, J-L, M-P Wautier, A-M Schmidt, C. Zoukourian, O. Hori, L. Capron, O. Chappey, and D. Stern. Advanced Glycation Endproducts on the surface of diabetic red cells bind to the vessel wall via a specific receptor inducing an oxidant stress in the vasculature. Pharmacol. Res. (Proceedings of 1st European Congress of Pharmacology) p. 164, 1995.
46. Spanier, T. M Oz, H Levin, D Stern, E Rose and AM Schmidt. Disseminated Intravascular

Coagulation in patients with Left Ventricular Assist Devices. International Society for Heart and Lung Transplantation, abstract #227, 1996.

47. Yan, SD, X Chen, J. Fu, M, Chen, G. Godman, D. Stern and AM Schmidt. RAGE: a receptor up-regulated in Alzheimer's Disease (AD) on neurons, microglia and cerebrovascular endothelium that binds amyloid- $\beta$  peptide (AB) and mediates induction of oxidant stress. American Association of Neurology, 1995
48. Smith SD, Fu C, Bendich A, Appel G, Stern D and AM Schmidt. Antioxidant intervention and diabetic renal disease. *J. Am. Soc. Nephrol.* 7:1365, 1996.
49. Yuzawa Y, Akahori T, Naruyama T, Hotta N, Hori O, Schmidt AM, Stern D and S. Matsuo. *J. Am. Soc. Nephrol.* 7:1880, 1996.
50. Park L, Hori O, Yan SD, Zou YS, Verstuyft J, Rubin EM, Liu JK, Yeo HC, Ames BN, Andaz S, Stern D and AM Schmidt. An accelerated atherosclerosis model in diabetic apolipoprotein E knockout mice: vascular accumulation of Advanced Glycation Endproducts and enhanced expression of their cellular receptor, RAGE. *Circ.* 94 (8):#200, 1996.
51. Spanier TB, Rose S, Schmidt AM, and S Itescu. Interactions between dendritic cells and T cells on the surface of Left Ventricular Assist Devices leads to a TH2 pattern of cytokine production and B cell hyperactivity in vivo. *Circ.* 94 (8):#1708, 1996.
52. Spanier TB, Oz MC, Hori O, Li J, Levin HR, Itescu S, Rose EA, Stern DM and AM Schmidt. Adsorption of circulating dendritic and monocytic cells by textured surface left ventricular assist devices: a model for sustained cellular activation of procoagulant and proinflammatory responses. *Circ.* 94 (8):#4061, 1996.
53. Wautier JL, Chappey O, Wautier MP, Boval B, Stern D and AM Schmidt. Interaction of diabetic erythrocytes bearing advanced glycation endproducts with the endothelial receptor RAGE induces generation of reactive oxygen intermediates and cellular dysfunction. *Circ.* 94 (8):#4139, 1996.
54. Schmidt AM. The Receptor for Advanced Glycation Endproducts (RAGE): Implications for the pathogenesis of diabetic complications. *Biomedicine and Pharmacotherapy* 50 (8):395, 1996.
55. Spanier T., Minanov O., Michler R., Stern, D., Rose, E., and Schmidt AM. Active site-blocked Factor IXa (IXai): a novel anticoagulant for use in cardiopulmonary bypass that does not impair extravascular hemostasis. New York Society for Thoracic Surgery, 1996.
56. Schmidt, A.M. Interaction of Advanced Glycation Endproducts (AGEs) with their cellular receptor RAGE: implications for vascular and inflammatory cell dysfunction in diabetes. Abstract booklet, Baker Medical Research Institute symposium on "Atherosclerosis and the Vessel Wall," p. 25, 1997.
57. Spanier T., Minanov, O., Oz, M., Kisiel, W., Michler R., Stern, D., Rose, E., and Schmidt AM. Active site blocked IXa: selective single agent antithrombotic therapy in canine cardiopulmonary bypass. Society for Thoracic Surgery, 1997.
58. Spanier T., Choudhri A., Beck J., Mongero L., Diugiud D., Schmidt AM., Oz M.

Intraoperative heparin resistance results from preoperative heparin therapy and is successfully treated with Antithrombin III replacement. Society for Thoracic Surgery, 1997.

59. Wu J, Rogers L, Stern D, Schmidt AM and Chiu DTW. The soluble receptor for Advanced Glycation Endproducts (sRAGE) ameliorates impaired wound healing in diabetic mice. Abstract booklet, Plastic Surgery Research Council, Abstract #77, p. 43, 1997.
60. Schmidt, A.M. Prevention of diabetic complications. Abstract booklet, 10th annual Congress, Mexican Diabetes Federation, 1997.
61. Lalla, E., Weidman, E., Lamster, I.B. and Schmidt, A.M. Advanced Glycation Endproducts (AGEs) in diabetic periodontal disease. Sunstar-Chapel Hill Symposium, Periodontal Diseases and Human Health, Abstract booklet, p. 15, 1997.
62. Lalla, E., Feit, M., Lamster, I.B., and Schmidt, A.M. Advanced Glycation Endproducts and diabetic periodontal disease in a murine model. Sunstar-Chapel Hill Symposium, Periodontal Diseases and Human Health, Abstract booklet, p. 34, 1997.
63. Lalla, E., Schmidt, A.M., Feit, M., and Lamster, I.B. Murine model of accelerated periodontal disease in diabetes. J. Dent. Res. 76 (IADR):#1105, p. 152, 1997.
64. Park, L., Barile, G.R., Chang, S., Reppucci, V.S., Schiff, W.M., and A.M. Schmidt. Advanced Glycation Endproducts (AGEs) in proliferative diabetic retinopathy and proliferative vitreoretinopathy. Abstract Book, Investigative Ophthalmology and Visual Science, #3303, S714, 1997.
65. Barile, G.R., Chang, S., Park, L., Reppucci, V.S., Schiff, W.M., and A.M. Schmidt. Soluble cellular adhesion molecules in proliferative diabetic retinopathy and proliferative vitreoretinopathy. Abstract Book, Investigative Ophthalmology and Visual Science, #5466, S1176, 1997.
66. Schmidt, A.M. Interaction of Advanced Glycation Endproducts (AGEs) with their receptor RAGE: implications for the biology of aging. Abstract book, 1997 World Congress of Gerontology, 16th congress of the International Association of Gerontology, #228, p. 75, 1997.
67. Raman, K.R., McCrudden, K.W., Lu, Y., Ginsberg, M.D., Ferran, L.Jr., Stern, D., Huang, L-S., and A.M. Schmidt. Diabetes in male human ApoB transgenic mice results in accelerated atherosclerosis with minimal modification of lipid profile. Abstract booklet, Council on Arteriosclerosis, American Heart Association. #9411, p. 111, 1997.
68. Schmidt, A.M., Yan, S.D., and Stern, D. The V-Domain of Receptor for Advanced Glycation Endproducts (RAGE) mediates binding of AGEs: a novel target for therapy of diabetes. Circ. (Suppl.), 96:#194, p. 1-37, 1997.
69. De Caterina, R., Basta, G., Lazzerini, G., and Schmidt, A.M. Advanced Glycation Endproducts (AGEs) induce multiple endothelial leukocyte molecule expression partly through anti-oxidant pathways. Circ. (Suppl.), 96:#630, p. 1-112, 1997.
70. Lee, K.J., Lu, Y., Ginsberg, M.D., Ferran, L.Jr., Stern, D.M., and Schmidt, A.M. A murine model of accelerated atherosclerosis in diabetic LDL Receptor deficient mice. Circ.

(Suppl.), 96:#968, p. 1-175, 1997.

71. Spanier, T.B., Oz, M.C., Kisiel, W., Stern D.M., Rose, E.A., and Schmidt, A.M. Active-site blocked Factor Ixa is a selective alternative anticoagulant to heparin in cardiopulmonary bypass. *Circ. (Suppl.)*, 96:#1672, p. 1-300, 1997.
72. Juhasz, O., Hiraoka, H., Cheng, L., Schmidt, A.M., Stern, D.M., and Crow, M. T. The stimulation of Monocyte chemoattractant Protein-1 expression by Advanced Glycosylation Endproducts requires the cytosolic domain of the 35-50 kD receptor, RAGE. *Circ. (Suppl.)*, 96:#2030, p. 1-363, 1997.
73. Park, L., Raman, K.G., Lee, K.J., Lu, Y., Ginsberg, M.D., Ferran, L.Jr., Stern, D.M., and Schmidt, A.M. A murine model of accelerated diabetic atherosclerosis: suppression by soluble receptor for Advanced Glycation Endproducts. *Circ. (Suppl.)*, 96:#3079, p.1-550, 1997.
74. Spanier, T.B., Oz, M.C., Sun, B.C., and Schmidt, A.M. NF-kB inhibition with aspirin in textured surface Left Ventricular Assist Device recipients attenuates the proinflammatory/procoagulant response. *Circ. (Suppl.)*, 96:#3365, p. 1-603, 1997.
75. Li, J.F., Qu, X.Q., and A.M. Schmidt. The Sp1 sites in the promoter of Receptor for AGE (RAGE) are required for induction of RAGE expression in neuronal cells by amphoterin. *FASEB Journal* 12 (#4): #1861, A320,1998.
76. Raman, K.G., Lu, Y., Tsai, M., Ferran, L. Jr., Chow, W.S., Berglund, L.S., Huang, L.S., and A.M. Schmidt. A model of accelerated atherosclerosis in diabetic mice overexpressing of apo B: soluble receptor for Advanced Glycation Endproducts. *FASEB Journal* 12 (#4): #616, A106, 1998.
77. Makker G., Lee, K., Fan, L., Lindenberg, N., Lu, Y., Chow, W.S., and A.M. Schmidt. A murine model of accelerated diabetic atherosclerosis with minimal modification of lipid profile. *FASEB Journal* 12 (#4): #2795, A481, 1998.
78. Taguchi, A., Blood, D.C., Lu, A., and A.M. Schmidt. Soluble receptor for AGE (sRAGE) suppresses growth of C6 glioma tumors in nude mice. *FASEB Journal* 12 (#4): # 5 5 0 2 , A950, 1998.
79. Lalla, E., Lamster, I.B., Feit, M., Huang, L., and A.M. Schmidt. Host factors in a model of diabetes-associated periodontal disease. *J. Dental Research* 77(B), #279, p. 666, 1998.
80. Makker, G., Vorp, D., Lindenberg, N., Fan, L., Wang, D.H.J., Qu, W., Stern, D., and Schmidt, A.M. Maintenance of Vascular Structural Integrity in LDL receptor null mice treated with soluble Receptor for AGE (sRAGE). *Circ. (Suppl.)*. 98: #0060, p. I-12, 1998.
81. Huang, J., Kim, L.J., Kisiel, W., Schmidt, A.M., Choudri, T.F., Hoh, B., Connolley, E.S., and Pinsky, D. Inhibition of Factor IXa-dependent coagulation improves efficacy of tPA in stroke without increasing intracerebral hemorrhage. *Circ. (Suppl.)*. 98: #0150, p. I-1, 1998.
82. Li, J., Qu, X., Fu, C., and Schmidt, A.M. The cytosolic domain of Receptor for AGE (RAGE) interacts with Shc (Src-homologous collagen like protein) to mediate signal

- transduction. *Circ. (Suppl)*. 98: #0610, p. I, 1998.
83. Makker, G., Fan, L., Lindenberg, N., Lu, Y., Qu, W., Lee, K.J., Stern, D., and Schmidt, A.M. Suppression of accelerated atherosclerosis in diabetic LDL receptor null mice by soluble receptor for AGE (sRAGE). *Circ. (Suppl)*. 98: #1623, p. I-310, 1998.
  84. Fu, C., Pischetsrieder, M., Hofmann, M., Yan, S.F., Stern, D., Schmidt, A.M. Carboxymethyl-lysine AGE modifications of proteins are ligands for RAGE that activate cell signalling pathways. *Circ. Suppl*. 98: # 1651, p. I, 1998.
  85. Hofmann, M., Drury, S., Fu, C., Li, J., Qu, X., Qu, W., and Schmidt, A.M. EN-RAGE (Extracellular Novel RAGE binding protein) activates endothelial cells and macrophages to mediate inflammatory responses. *Circ. (Suppl)*. 98: #1657, p. I, 1998.
  86. Raman, K.G., Tsai, M., Lu, Y., Ferran, L., Fan, L., Lindenberg, N., Stern, D., Berglund, L., Huang, L.S., and Schmidt, A.M. Genetically diabetic (db/db) transgenic mice overexpressing human apolipoprotein B (HuBTg) exhibit accelerated atherosclerosis. *Circ. (Suppl)*. 98: #2445, p. I-465, 1998.
  87. Spanier, T., Chen, J., Kisiel, W., Parhar, R., Al-Mohanna, F., Edward, N.E., Schmidt, A.M., and Stern, D. Selective Intravascular anticoagulation with a Factor IX inhibitor separates individual procoagulant stimuli on CPB. *Circ. (Suppl)*. 98: # 3812, p. I-727, 1998.
  88. DeCaterina, R., Basta, G., Lazzerini, G., Massaro, M., Tanganelli, P., and Schmidt, A.M. Global endothelial activation induced by AGEs and its relevance for inflammation. *Circ. (Suppl)*. 98: #4167, p. I-795, 1998.
  89. Spanier, T., Chen, J., Kisiel, W., Parhar, R., Al-Mohanna, F., Edwards, N.E., Stern, D., and Schmidt, A.M. Factor IX inhibition during primate cardiopulmonary bypass reduces complement, platelet and leukocyte activation compared with heparin. *Circ. (Suppl)*. 98: #3926, p. I-748-749, 1998.
  90. Tanji, N., Markowitz, G.S., Ward, L., Pischetsrieder, M., Fu, C., Schmidt, A.M., and D'Agati, V.D. The expression of AGE and their cellular receptor (RAGE) in diabetic nephropathy and nondiabetic renal disease. *J. American Society Nephrology* 9: #A2701, p. 529A, 1998.
  91. Hofmann, M., Fu, C., Drury, S., Stern, D., and A.M. Schmidt. Receptor for AGE (RAGE): Novel Proinflammatory ligands and insights into inflammation. Abstract, Keystone Symposium: Inflammatory Paradigms and the Vasculature, #018, p 28., 1999.
  92. Salahudeen, A.K., H. Huang, D. Stern, and A.M. Schmidt. Administration of soluble receptor for advanced glycation endproducts in db/db mice suppresses abnormalities in the early and late stages of diabetic nephropathy. *FASEB Journal* 13: 198.4, 1999.
  93. Taguchi, A., Blood, D.C., del Toro, G., A. Lu, A. Canet, W. Qu, and A.M. Schmidt. Blockade of amphoterin-RAGE interaction suppresses lung metastases in murine Lewis lung carcinoma. *FASEB Journal* 13: 292.9, 1999.
  94. Hofmann, M.A., Lu, Y., Schermer, C., Ferran, L., Kohl, B., Lalla, E., and Schmidt, A.M.



Modulation of expression of Receptor for AGE (RAGE) by homocysteine in cultured endothelium and diabetic mice. *Diabetes* 48 (Supplement 1):#0132, p. A31, 1999.

95. Hofmann, M.A., Lu, Y., Ferran, L.J., Jr., Kohl, B., and Schmidt, A.M. Homocysteine induces vascular activation in vitro and in vivo: accelerated atherosclerosis develops in apo E null mice with hyperhomocysteinemia. *Circulation (Supplement)*: 100: #220, pg. I - 44, 1999.
96. Hofmann, M.A., Ferran, L.J., Jr., Lalla, E., Ryu, M., Caliste, X., Kohl, B., and Schmidt, A.M. Enhanced activity of MMP-9 in vascular tissue from diabetic, hyperhomocysteinemic apo E null mice: possible mechanisms underlying plaque instability in diabetes. *Circulation (Supplement)* 100: #1307, pg. I - 252, 1999.
97. Basta, G., Lazzerini, G., Massaro, M., Tanganelli, P., Fu, C., Schmidt, A.M., and De Caterina, R. Intracellular reactive oxygen species mediate endothelial VCAM-1 and E-selectin, but not ICAM-1 expression by Advanced Glycation Endproducts. *Circulation (Supplement)*: 100 #3234, pg. I - 612, 1999.
98. Li, J., Wu, J., Stern, D.M., and Schmidt, A.M. Administration of soluble Receptor for Advanced Glycation Endproducts (sRAGE) enhances wound repair in diabetic mice. *Circulation (Supplement)*: 100: #3651, pg. I - 692, 1999.
99. Tsai, M., Schermer, C., Lu, Y., Ferran, L., Jr., Moss, R., Casey, J., Do, E., Stern, D.M., Berglund, L., Huang, L.S., and Schmidt, A.M. Modulation of lipid profile and atherosclerosis in genetically diabetic transgenic mice overexpressing human apolipoprotein B. *Circulation (Supplement)* 100: #3673, pg. I - 696, 1999.
100. Rong, L.L., Bernstein, E., Hays, A.P., Trojaborg, W., Qu, W., Stern, D., and Schmidt, A.M. Receptor for AGE (RAGE) and its ligands, EN-RAGEs and amphoterin, are expressed in injured peripheral nerve and modulate regeneration in a murine model of unilateral sciatic nerve crush. Abstracts of the 30th annual meeting of the Society of Neuroscience 26: # 114.4, p. 303, 2000.
101. Dumar, S.R., Miao, W., Ghiso, J., Frangione, B. Hofman, F., Yan, S.D., Schmidt, A.M., Stern, D., and Zlokovic, B.V. RAGE at the blood-brain barrier mediates neurovascular dysfunction caused by amyloid- $\beta$  1-40 peptide. Abstracts of the 30th annual meeting of the Society of Neuroscience 26: #275.19, p. 741, 2000.
102. Stern, D.M., Zhu, Y., Zhu, A., Du, H., Schmidt, A.M., and Yan, S.D. Enhanced neuronal stress in double transgenic mice with targeted overexpression of RAGE and mutant APP. Abstracts of the 30th annual meeting of the Society of Neuroscience 26: #491.14, p. 1319, 2000.
103. Lue, L.F., Walker, D.G., Brachova, L., Rogers, J., Shen, Y., Schmidt, A.M., Stern, D.M., and Yan, S.D. Expression of RAGE and RAGE-dependent cellular activation factors in Alzheimer's disease and by human postmortem brain microglia. Abstracts of the 30th annual meeting of the Society of Neuroscience 26: #680.14, p. 1831, 2000.
104. Kalra, V.K., Stins, M. A., Kim, K.S., Miller, C.A., Yan, S.D., Schmidt, A.M., Stern, D.M., Tokes, Z.A., Zlokovic, B.V., and Giri, R. Effect of endothelial cell polarity on A  $\beta$ -induced migration of monocytes across cultured brain endothelial cell monolayers of normal

and AD individuals. Abstracts of the 30th annual meeting of the Society of Neuroscience 26: #859.2, p. 2287, 2000.

105. Kislinger, T.R., Tanji, N., Qu, W., Goova, M.T., Wendt, T.M., Lu, Y., Bucciarelli, L.G., Hofmann, M.A., Ferran, L.J., Pischetsrieder, M., Stern, D.M., and Schmidt, A.M. Blockade of Receptor for AGE (RAGE) suppresses vascular inflammation and hypercoagulability in apo E null mice with type 1 diabetes. *Circulation (Supplement)* 102: #187, II-41, 2000.
106. Lalla, E., Lamster, I.B., Spessot, A.L., Lu, Y., Papapanou, P.N., Stern, D.M., and Schmidt, A.M. Oral infection with an established periodontal pathogen accelerates atherosclerosis in apo E null mice. *Circulation (Supplement)* 102: #188, II-41, 2000.
107. Bucciarelli, L.G., Qu, W., Wendt, T.M., Goova, M.T., Bakr, S., Hwang, Y.C., Stern, D.M., and Schmidt, A.M. Blockade of Receptor for AGE (RAGE) suppresses levels of cardiac endothelial- and inducible nitric oxide synthase in diabetic mice. *Circulation (Supplement)* 102: #563, II-117, 2000.
108. Wendt, T.M., Bucciarelli, L.G., Lu, Y., Qu, W., Fan, L., Tsai, M., Ferran, L.J., Stern, D.M., and Schmidt, A.M. Accelerated atherosclerosis and vascular inflammation develop in apo E null mice with type 2 diabetes. *Circulation (Supplement)* 102: #1125, II-231, 2000.
109. Bucciarelli, L.G., Qu, W., Lu, Y., Wendt, T.M., Kislinger, T.R., Goova, M.T., Ferran, L.J., Stern, D.M., and Schmidt, A.M. Blockade of Receptor for AGE (RAGE) suppresses progression of established atherosclerotic lesions in apo E null mice with type 1 diabetes. *Circulation (Supplement)* 102: #1128, II-232, 2000.
110. Zhou, Z.M., Marso, S.P., Schmidt, A.M., Stern, D.M., Qu, W., Forudi, F., Wang, K., Lincoff, A.M., and Topol, E.J. Blockade of Receptor for AGE (RAGE) suppresses neointimal formation in diabetic rat carotid artery injury model. *Circulation (Supplement)* 102: #1202, II-246, 2000.
111. Hofmann, M.A., Lalla, E., Lu, Y., Ryu, M., Tanji, N., Ferran, L.J., Kohl, B., Kisiel, W., Stern, D.M., and Schmidt, A.M. Dietary enrichment in folate, vitamins B6/B12 suppresses accelerated atherosclerosis and aneurysm formation in hyperhomocysteinemic mice. *Circulation (Supplement)* 102: #1232, II-252, 2000.
112. Kayano, K., Okada, K., Schmidt, A.M., Kisiel, W., Minamoto, K., and Pinsky, D.J. Inhibition of factor IXa-dependent coagulation ameliorates murine pulmonary ischemia/reperfusion injury. *Circulation (Supplement)* 102: #2040, II-419, 2000.
113. Lee, D.C., Qu, W., Lu, Y., Stern, D.M., and Schmidt, A.M. Blockade of RAGE suppresses growth, metastases and progression of mammary tumors in a murine model of breast cancer. *Surgical Forum* 52: 274-276, 2001.
114. Bucciarelli, L.G., Wendt, T.W., Qu, W., Lu, Y., Wolf, B.M., Lalla, E., Hofmann, M.A., Goova, M.T., Kashyap, Y., Stern, D.M., and Schmidt, A.M. Blockade of RAGE halts macrophage and smooth muscle cell migration and activation in established atherosclerosis in diabetic apo E null mice. *Circulation (Supplement)* 104: #562, II-117, 2001.
115. Basta, G., Lazzerini, G., Del Turco, S., O'Loghen, A., Schmidt, A.M., Ratto, G.M., and

- De Caterina, R. NAD(P)H oxidase-mediated generation of reactive oxygen species is implicated in the endothelial induction of VCAM-1 and ICAM-1, but not E-selectin by Advanced Glycation Endproducts. *Circulation (Supplement)* 104: #1114, II-231, 2001.
116. Wendt, T.M., Tanji, N., Kislinger, T., Bucciarelli, L.G., Qu, W., Lu, Y., Lalla, E., Moser, B., Markowitz, G., D'Agati, V., Stern, D.M., and Schmidt, A.M. Blockade of Receptor for AGE (RAGE) suppresses albuminuria and glomerulosclerosis in murine diabetic kidney: implications for podocyte activation in the pathogenesis of diabetic nephropathy. *Circulation (Supplement)* 104: #1142, II-237, 2001.
  117. Wendt, T.M., Bucciarelli, L.G., Yan, S.F., Lu, Y., Qu, W., Wolf, B.M., Lalla, E., Goova, M.T., Moser, B., Stern, D.M., and Schmidt, A.M. Induction of hypoxic stress in diabetic apo E null mice alters expression of genes linked to maladaptive stress responses in the heart. *Circulation (Supplement)* 104: #1478, II-307, 2001.
  118. Hofmann, M.A., Qu, W., Moser, B., Bucciarelli, L.G., Hudson, B., Stickland, M., Grant, P.J., Stern, D.M., and Schmidt, A.M. RAGE (G82S) upregulates the inflammatory response: implications for amplification of vascular inflammation. *Circulation (Supplement)* 104: #1539, II-319, 2001.
  119. Takaguchi, T., Sousa, M., Yan, S.D., Yan, S.F., Duda, S., Arnold, B., Nawroth, P.P., Schmidt, A.M., Stern, D.M., and Naka, Y. Restenosis: central role of RAGE-dependent neointimal expansion. *Circulation (Supplement)* 104: #2471, II-522, 2001.
  120. Wang, C.Y., Okada, M., Schmidt, A.M., Liu, R., Takuma, S., Yan, S.D., Homma, S., Oz, M.C., Stern, D.M., and Pinsky, D.J. RAGE blockade suppresses the late development of cardiac allograft vasculopathy. *Circulation (Supplement)* 104: #3567, II-758, 2001.
  121. Hofman, F., Kumar, S.R., Maness, L.M., Larue, B.A., Welch, D.M., Schmidt, A.M., Yan, S.D., Stern, D., and Zlokovic, B.V. Amyloid- $\beta$  peptide (1-40) reduction in cerebral blood flow is consequent to RAGE-mediated induction of endothelin-1. Abstracts of the 31st annual meeting of the Society of Neuroscience #128.5, p. 65, 2001.
  122. Yu, J., Zhu, H., Pettigrew, L.C., Yan, S.D., Schmidt, A.M., Stern, D., and Kindy, M.S. Infusion of soluble RAGE inhibits A $\beta$  amyloid deposition in APP transgenic mice. Abstracts of the 31st annual meeting of the Society of Neuroscience #1322.13, p. 166, 2001.
  123. Rong, L.L., Yan, S.F., Hans-Wagner, D., Goova, M.T., Song, F., Hays, A.P., Stern, D.M., and Schmidt, A.M. Receptor for AGE expressed in macrophages and neurons regulates peripheral nerve repair after injury. Abstracts of the 31st annual meeting of the Society of Neuroscience #351.4, p. 179, 2001.
  124. Lue, L.F., Walker, D.G., Schmidt, A.M., Stern, D.M., and Yan, S.D. Microglial and astrocytic responses in RAGE/PDAPP transgenic mice. Abstracts of the 31st annual meeting of the Society of Neuroscience #890.12, p. 459, 2001.
  125. Lee, D.C., Qu, W., Lu, Y., Stern, D.M., and Schmidt, A.M. Blockade of RAGE suppresses growth, metastases and progression of mammary tumors in a murine model of breast cancer. *Journal of the American College of Surgeons* 191 (suppl) S62, 2001.
  126. Stern, D.M., Yan, S.D., Submamaryan, R., LaRue, B., Ghiso, J., Hofman, F., Schmidt,

- A.M., and Zlokovic, B. Amyloid angiopathy and the Receptor for Advanced Glycation Endproducts (RAGE): Interactions of Amyloid- $\beta$  with the Blood Brain Barrier and Neurons. Abstract #5 of the Keystone Symposium, "Inflammatory Paradigms and the Vasculature II," p. 23, 2002.
127. Wendt, T., Bucciarelli, L., Hofmann, M.A., Stern, D.M., and Schmidt, A.M. RAGE: Insights into Proinflammatory Mechanisms in Diabetes and Immune/Inflammatory Disorders. Abstract #27 of the Keystone Symposium, "Inflammatory Paradigms and the Vasculature II," p. 29, 2002.
  128. Bucciarelli, L.G., Wendt, T.M., Qu, W., Lu, Y., Lalla, E., Goova, M.T., Rong, L.L., Moser, B., Lee, D.C., Kashyap, Y., Stern, D.M., and Schmidt, A.M. RAGE blockade suppresses migration and activation of mononuclear phagocytes and vascular smooth muscle cells in diabetic vascular lesions: implications for atherosclerotic lesion stabilization. Abstract #114 of the Keystone Symposium, "Inflammatory Paradigms and the Vasculature II," p. 43, 2002.
  129. Lee, D.C., Xu, Z., Qu, W., Lu, Y., Anderson, D., Stern, D.M., and Schmidt, A.M. Blockade of RAGE suppresses growth and metastases of mammary tumors in a murine model of breast cancer. Proceedings of the American Association for Cancer Research 43: 197: 2002.

### INVITED PRESENTATIONS

1. "Endothelial cell and mononuclear phagocyte receptors for advanced glycation endproducts," Gordon Research Conference, Vascular Biology, Colby Sawyer, New Hampshire, 1992.
2. "Cellular receptors for advanced glycation endproducts," American Heart Association Meeting, Mini-Symposium in Thrombosis and Hemostasis, New Orleans, Louisiana, 1992.
3. "Cellular receptors for advanced glycation endproducts: implication for endothelial and monocyte dysfunction in the pathogenesis of vascular lesions," Atherosclerosis Symposium, University of Regensburg, Germany, 1993.
4. "Cellular receptors for glycated proteins: implications for vascular dysfunction in atherosclerosis and diabetes," FASEB meeting, New Orleans, Louisiana, 1993.
5. "Cellular receptors for advanced glycosylation endproducts: implications for vascular disease in diabetes," Scientific Conference on the Molecular Biology of the Vascular Wall, American Heart Association, Boston, Massachusetts, 1993.
6. "Cellular receptors for advanced glycation endproducts: implications for vascular disease in atherosclerosis and diabetes," Research Seminar, National Institutes of Aging, National Institutes of Health, Baltimore, Maryland, March, 1994.
7. "Cellular receptors for advanced glycation endproducts: implications for vascular dysfunction in atherosclerosis and diabetes," Grand Rounds, Department of Medicine, Columbia

University College of Physicians and Surgeons, New York, New York, March, 1994.

8. "Atherosclerosis, aging and diabetes: common mechanisms," Minisymposium on Vascular Permeability, FASEB, Anaheim, California, April 1994.
9. "Glycated proteins and their receptors in vascular disease," Grand Rounds, Department of Cardiology, UCLA School of Medicine, Los Angeles, California, April 1994.
10. "Advanced Glycation Endproducts and their cellular receptor: implications for diabetic vascular disease, Endocrinology Grand Rounds, Department of Medicine, Columbia University College of Physicians and Surgeons, New York, New York, January, 1996.
11. "AGE-receptor interaction: implications for accelerated atherosclerosis observed in diabetes, Cardiology Grand Rounds, Department of Medicine, New York University School of Medicine, New York, New York, February, 1996.
12. "AGE-RAGE cellular interaction: implications for the development of diabetic complications," Nephrology Grand Rounds, Department of Medicine, Downstate Medical Center, Brooklyn, New York, May, 1996.
13. "RAGE in atherosclerosis and Alzheimer's disease," Clinical Research Seminars, Rockefeller University, New York, New York, June, 1996.
14. "RAGE: implications for complications of diabetes," Grand Rounds, Department of Medicine, Division of Nephrology, North Shore University Hospital, Manhasset, New York, September, 1996.
15. "AGE-RAGE interaction: implications for the development of diabetic complications," Grand Rounds, Department of Pediatrics, Columbia University College of Physicians and Surgeons, New York, New York, October, 1996.
16. "The receptor for advanced glycation endproducts: implications for the pathogenesis of diabetic complications," Scientific congress on the vascular endothelium: basic and clinical aspects, Pisa, Italy, November, 1996.
17. "Receptor for AGE, RAGE: implications for the biology of aging," National Institutes of Aging and the Glenn Foundation workshop on "Molecular aspects of age-related cardiovascular decline," Montecito, California, January, 1997.
18. "Interaction of Advanced Glycation Endproducts (AGEs) with their cellular receptor RAGE: implications for vascular and inflammatory cell dysfunction in diabetes," Symposium of the Baker Medical Research Institute on "Atherosclerosis and the Vessel Wall," Melbourne, Australia, February, 1997.
19. "Prevention of diabetic complications," 10th annual congress, Mexican Diabetes Federation, Aguascalientes, Mexico, March, 1997.
20. "Advanced Glycation Endproducts (AGEs) in diabetic periodontal disease," Sunstar Chapel Hill Symposium, Periodontal diseases and human health, Chapel Hill, North Carolina, March, 1997.

21. "RAGE and diabetic atherosclerosis," Annual Scholar's Day Program, Council for Tobacco Research, New York, New York, April, 1997.
22. "RAGE and the pathogenesis of diabetic complications," Seminar, Center for Transgene Technology and Gene Therapy, Leuven, Belgium, May, 1997.
23. "Interaction of glycated proteins with the vessel wall: implications for the pathogenesis of accelerated atherosclerosis in diabetes," 29th annual Hugh Lofland Conference on atherogenesis and the vessel wall, Honolulu, Hawaii, June, 1997.
24. "AGEs and RAGE: implications for the pathogenesis of diabetic complications," Invited speaker, Symposium on Endothelial Dysfunction in Diabetes, annual meeting, American Diabetes Association, Boston, Massachusetts, June, 1997.
25. "Interaction of Advanced Glycation Endproducts (AGEs) with their receptor RAGE: implications for the biology of aging," 1997 World Congress of Gerontology, 16th Congress of the International Association of Gerontology, Adelaide, Australia, August, 1997.
26. "RAGE and vascular cell dysfunction," Juvenile Diabetes Foundation and European Association for the Study of Diabetes: Workshop on Diabetic Retinopathy, Oxford, England, September, 1997.
27. "Advanced Glycation Endproducts and RAGE: Implications for enhanced oxidant stress in the pathogenesis of complications in diabetes and beyond," 4th Kobe Study Group of Vascular Medicine: Cross Talk between NO and Oxygen Radicals, Kobe, Japan, September, 1997.
28. "Interaction of Advanced Glycation Endproducts with their cellular receptor RAGE: implications for the pathogenesis of complications in diabetes and beyond," Center for Blood Research, Harvard University, Boston, Massachusetts, September, 1997.
29. "Interaction of advanced glycation endproducts with their cellular receptors," Symposium, Diabetes and Endothelial Dysfunction, Lyon, France, October, 1997.
30. "AGEs and RAGE: Implications for the pathogenesis of diabetic complications," Grand Rounds, Department of Medicine, New York University School of Medicine, New York, New York, October, 1997.
31. "Selective Anti-thrombotic therapy without interfering with protective hemostasis: role of Factor IX/IXa," Frontiers in Translational and Clinical Research: Anti-Coagulation: Present and Future, Columbia University College of Physicians and Surgeons, New York, New York, November, 1997.
32. "AGEs and RAGE: Implications for the pathogenesis of complications in diabetes and beyond," Seminar, Department of Physiology and Cellular Biophysics, Columbia University College of Physicians and Surgeons, New York, New York, November, 1997.
33. "AGEs and RAGE: Implications for the pathogenesis of complications in diabetes, atherosclerosis and beyond," Seminar, Novartis, Summit, New Jersey, December, 1997.
34. "RAGE: A novel target for the therapy of complications in diabetes and beyond," Invited Scholar lecture, Department of Dermatology, Columbia University College of Physicians and

Surgeons, New York, New York, January, 1998.

35. "AGEs and RAGE: Implications for vascular complications in diabetes," Keystone symposium on the Endothelium, Lake Tahoe, Nevada, March, 1998.
36. "Receptor for AGE: Implications for the pathogenesis of complications in diabetes," Diabetes Research Seminar, Case Western University School of Medicine, Cleveland, Ohio, May, 1998.
37. "Receptor for Advanced Glycation Endproducts (AGE) and implications for the pathogenesis of diabetic complications", New York/New Jersey Molecular Biology Club, New Jersey Medical School, Newark, New Jersey, May, 1998.
38. "Active site-blocked Factor IXa in Cardiac Surgery," Cambridge Healthcare Institute symposium on novel anticoagulants, San Diego, California, May, 1998.
39. "Receptor for AGE (RAGE): Novel insights into Diabetes and Inflammation," Department of Pediatrics Grand Rounds, Columbia University College of Physicians and Surgeons, August, 1998.
40. "RAGE and the pathogenesis of vascular complications in diabetes," Xth International Vascular Biology meeting, Cairns, Australia, August, 1998.
41. "Heparin and its alternatives," Annual meeting, Extracorporeal Life Support Organization, San Antonio, Texas, September, 1998.
42. "Suppression of accelerated diabetic atherosclerosis by soluble RAGE (sRAGE)," The Vascular Endothelium: Basic and Clinical Aspects, Second International Congress, Pisa, Italy, October, 1998.
43. "AGE receptors and oxidative stress," Diabetic Complications Conference, Joint Symposium in celebration of the Joslin Diabetes Center's 100th anniversary, Boston, Massachusetts, October, 1998.
44. "Receptor for AGE, RAGE: Implications for chronic complications in diabetes and inflammation," Whitaker Cardiovascular Institute Seminar, Boston University School of Medicine, Boston, Massachusetts, January, 1999.
45. "Receptor for AGE (RAGE): "Novel Proinflammatory Ligands and Insights into Inflammation," Keystone Conference, Inflammatory Paradigms and the Vasculature, Santa Fe, New Mexico, February, 1999
46. "RAGE and implications for chronic complications in diabetes and inflammation," Bergen Community Regional Blood Center, Paramus, N.J., March, 1999.
47. "Receptor for AGE: implications for the pathogenesis of complications in diabetes and inflammation," New York Metro Pediatric Endocrine Society, N.Y., N.Y., April, 1999.
48. "Advanced Glycation Endproducts and atherosclerosis," FASEB summer conference on Thrombin and Vascular Medicine, Saxton River, Vermont, June, 1999.

49. "Receptor for AGE (RAGE): Implications for Vascular and Inflammatory Dysfunction in Diabetes and other Disorders," Gordon Research Conference on "Angiogenesis and Microcirculation," Salve Regina University, Newport, Rhode Island, August, 1999.
50. "Vascular and endothelial dysfunction in diabetes," Plenary session, The Fourth International Diabetes Federation, Western Pacific Region Congress, Sydney, Australia, August, 1999.
51. "Markers of vascular and endothelial dysfunction in diabetes," "Meet the Professor session," The Fourth International Diabetes Federation, Western Pacific Region Congress, Sydney, Australia, August, 1999.
52. "Present status of the AGE receptors: RAGE and future developments," ENGAGE meeting," European Association for the Study of Diabetes, Brussels, Belgium, September, 1999.
53. "Receptor for AGE (RAGE): Implications for chronic cellular dysfunction in diabetes, inflammation and tumor biology," Grand Rounds, Division of Rheumatology, Department of Medicine, New York University School of Medicine, October, 1999.
54. "The Molecular Pathogenesis of Diabetic Complications," Frontiers in Diabetes Research, The Naomi Berrie Diabetes Center, Columbia University, New York, New York, November, 1999.
55. "Role of Advanced Glycation End-products in the clinical complications of diabetes," Jubilee symposium in honour of Professor Bernard Jacotot, The French Atherosclerosis Society, Paris, France, November, 1999.
56. "Advanced Glycation Endproducts and their receptors," NIH/NIDCR-sponsored workshop on Diabetes and Oral Health, Washington, D.C., December, 1999.
57. "Advanced Glycation Endproducts and their Receptor RAGE: Implications for the pathogenesis of complications in diabetes, inflammation, Alzheimer's disease and cancer," Institute for Biochemistry, Justus-Liebig-University, Gießen, Germany, December, 1999.
58. "AGE-RAGE interaction: implications for the development of diabetic vasculopathy," Renal Grand Rounds, The New York Hospital Medical Center of Queens, "Queens, New York, March, 2000.
59. "Receptor for Advanced Glycation Endproducts (RAGE) and implications for diabetic complications, inflammation and tumor biology," Lung Biology Conference, Division of Pulmonary Medicine, Department of Medicine, Yale University School of Medicine, New Haven, Connecticut, March, 2000.
60. "Receptor for AGE (RAGE) is a gene within the major histocompatibility class III region: implications for host response mechanisms in homeostasis and chronic diseases," Immunology Seminar Program, College of Biological Sciences, Ohio State University School of Medicine, April, 2000.
61. "Receptor for AGE (RAGE) and implications for the pathogenesis of diabetic complications, inflammation and cancer," Distinguished Lecture, Department of Oral Biology, State University of New York at Buffalo School of Dentistry, Buffalo, New York, May, 2000.



62. "Receptor for AGE (RAGE) and implications for the pathogenesis of diabetic complications and inflammation," German Diabetes Association, Munich, Germany, May, 2000.
63. "Receptor for AGE: a multiligand receptor of the immunoglobulin superfamily with implications for the pathogenesis of diabetic complications and other disorders," Current Topics in Glycobiology, Helsinki, Finland, June, 2000.
64. "Blockade of RAGE, a New Approach to the Treatment of the Complications of Diabetes," Juvenile Diabetes Research Foundation, New York, New York, October, 2000.
65. "RAGE: updates on tumor biology and inflammation paradigms," Department of Medicine, Faculty Research Seminar, Columbia University, New York, New York, December, 2000.
66. "RAGE - a multiligand tale," Seminar, Naomi Berrie Diabetes Center, Columbia University, New York, New York, December, 2000.
67. "RAGE and peripheral nerve repair," Keystone Symposium on Neuronal and Vascular Stress: a New Window on Alzheimer's Disease, Durango, Colorado, January, 2001.
68. "RAGing against the complications of diabetes," Juvenile Diabetes Research Foundation International, Meeting of the Board of Directors, Tampa, Florida, February, 2001.
69. "RAGE and the complications of diabetes and inflammation," Seminar, Boston University Goldman School of Dental Medicine, Boston, Massachusetts, April, 2001.
70. "The Role of Advanced Glycation Endproducts (AGE) and their receptor RAGE in Diabetes, The Periodontal-Systemic Connection: A State of the Art Symposium, Sponsored by the NIDCR and the AAP, Bethesda, Maryland, April, 2001.
71. "RAGE: Updates on the Amyloidoses and Inflammation," Seminar, Department of Molecular Medicine, Weill-Cornell University Medical College, New York, New York, April, 2001.
72. "RAGE and the complications of diabetes: inflammatory overtones," 6th EASD/JDRF Oxford Workshop on the Molecular and Genetic Aspects of the Vascular Complications of Diabetes, Keble College, Oxford, UK, August, 2001.
73. "The Current RAGE of Diabetes," The Diabetes Summit: A New Patient Treatment Regimen in Cardiovascular Disease, Anaheim, California, November, 2001.
74. "RAGE and the Complications of Diabetes - Insights into Proinflammatory Mechanisms," Invited Speaker, Meeting of the Oral Biology, Immunology and Microbiology Research Group, Longboat Key, Florida, January, 2002.
75. "RAGE: Implications for Diabetic Complications and Beyond," Biochemical Pharmacology Discussion Group, New York Academy of Sciences, New York, New York, January, 2002.
76. "RAGE and the complications of diabetes and inflammation," Seminar, Department of Clinical Pharmacology, Department of Medicine, New York University School of Medicine, March, 2002.
77. "RAGE: insights into proinflammatory mechanisms in diabetes and immune/inflammatory

disorders," Keystone Symposium, "Inflammatory Paradigms and the Vasculature II," Steamboat Springs, Colorado, April, 2002.

78. "RAGE: insights into the pathogenesis of diabetic complications and beyond," Grand Rounds, Department of Medicine, College of Physicians & Surgeons, Columbia University, New York, New York, April, 2002.
79. "RAGE and the complications of diabetes," Keynote Lecture, Banting and Best Diabetes Centre Annual Scientific Day, University of Toronto, Toronto, Canada, May, 2002.



## CURRICULUM VITAE

ANN MARIE SCHMIDT

OFFICE ADDRESS                      Departments of Surgery and Medicine  
College of Physicians and Surgeons,  
P&S 17-501  
Columbia University,  
630 W. 168th Street, New York, N.Y. 10032

HOME ADDRESS                        242 Haven Road  
Franklin Lakes, New Jersey 07417

TELEPHONE NUMBERS                Work: (212) 305-6406  
Home: (201) 405-0875  
email: ams11@columbia.edu

SOCIAL SECURITY #                    153-56-4871

DATE OF BIRTH                        2/18/57

MARITAL STATUS                      Married, one child

### EDUCATION

<u>University</u>	<u>Degree/Field</u>	<u>Year</u>
New York University Washington Square School of the Arts & Sciences New York, New York	B.A. Summa Cum Laude Biology & History	1979
New York University School of Medicine New York, New York	M.D. with Honors	1983

### AWARDS AND HONORS

Dean's List	1975-1979
Phi Beta Kappa	1978
Alpha Omega Alpha	1982
Juvenile Diabetes Foundation Fellowship	1990-1992

Harold and Golden Lamport Prize  
for Excellence in Clinical Research  
(Columbia University) 1998

American Society of Clinical  
Investigation 1999

Established Investigator of the  
American Heart Association 1999

Recipient, Burroughs Wellcome Fund  
Clinical Scientist Award in  
Translational Research 1999

Schunk- Prize for Medicine  
Justus-Liebig-University  
Gießen, Germany 1999

Distinguished Lecturer  
Department of Oral Biology  
State University of New York  
at Buffalo School of Dentistry 2000

Co-director, Juvenile Diabetes  
Research Foundation International  
Center for Complications at  
Columbia University 2000

Director, Juvenile Diabetes  
Research Foundation International  
Center for Complications at  
Columbia University 2002

Keynote Lecturer, Banting and Best  
Diabetes Centre Annual Scientific  
Day, University of Toronto,  
Toronto, Canada 2002

### **SPECIALTY BOARDS**

Internal Medicine, American  
Board of Internal Medicine 1988

### **LICENSURE**

New York State Medical License  
Number: 159704

### **PROFESSIONAL MEMBERSHIPS**

American Society of Hematology  
American Diabetes Association  
American Heart Association, Thrombosis Council